

## United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/522,057	04/25/2005	Huan nan Ma	E1734-007	2070
8933 DUANE MOR	7590 12/03/2007 RIS LLP		EXAM	INER
IP DEPARTMENT			KAO, WEI PO ERIC	
30 SOUTH 17TH STREET PHILADELPHIA, PA 19103-4196			ART UNIT	PAPER NUMBER
THICADELITI	IA, I A 17105-4170		2616	
			MAIL DATE	DELIVERY MODE
			12/03/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

		Application No.	Applicant(s)			
Office Action Summary						
		10/522,057	MA ET AL.			
		Examiner	Art Unit			
	The MAILING DATE of this communication app	Wei-po Kao	orrespondence address			
Period fo						
WHIC - Exter after - If NO - Failu Any r	ORTENED STATUTORY PERIOD FOR REPLY CHEVER IS LONGER, FROM THE MAILING DAISIONS of time may be available under the provisions of 37 CFR 1.13 SIX (6) MONTHS from the mailing date of this communication. Period for reply is specified above, the maximum statutory period were to reply within the set or extended period for reply will, by statute, eply received by the Office later than three months after the mailing and patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tim vill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	N. nely filed the mailing date of this communication. D (35 U.S.C. § 133).			
Status						
1)⊠	Responsive to communication(s) filed on <u>20 January 2005</u> .					
•	This action is <b>FINAL</b> . 2b)⊠ This action is non-final.					
3)[_]	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is					
	closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.					
Dispositi	on of Claims					
4)⊠	4) Claim(s) <u>1-5</u> is/are pending in the application.					
	4a) Of the above claim(s) is/are withdrawn from consideration.					
•	Claim(s) is/are allowed.					
	6)⊠ Claim(s) <u>1-5</u> is/are rejected.					
	Claim(s) is/are objected to. Claim(s) are subject to restriction and/o	r election requirement				
. 0/	are earliest to receive and					
Applicat	ion Papers					
• —	The specification is objected to by the Examine					
10)⊠ The drawing(s) filed on <u>20 January 2005</u> is/are: a)⊠ accepted or b)⊡ objected to by the Examiner.						
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).						
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).  11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.						
Priority (	ınder 35 U.S.C. § 119					
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).  a) All b) Some * c) None of:  1. Certified copies of the priority documents have been received.  2. Certified copies of the priority documents have been received in Application No  3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).  * See the attached detailed Office action for a list of the certified copies not received.						
Attachment(s)						
1) 🛛 Notic	ce of References Cited (PTO-892)	4) Interview Summary				
3) X Infor	ce of Draftsperson's Patent Drawing Review (PTO-948) mation Disclosure Statement(s) (PTO/SB/08) er No(s)/Mail Date	Paper No(s)/Mail D  5) Notice of Informal F  6) Other:				

## **DETAILED ACTION**

## **Priority**

1. Receipt is acknowledged of papers submitted under 35 U.S.C. 119(a)-(d), which papers have been placed of record in the file.

## Claim Objections

2. Claims 1, 2 are objected to under 37 CFR 1.75 because of the following informalities:

The claimed term, "the multi-layer communication equipment," of claim 1 line 1 is unclear. It is suggested to change to "a multi-layer communication equipment."

The claimed term, "high processing module," of claim 1 line 3 is unclear. It is suggested to change to "high layer processing module."

The claimed term, "the said node," of claim 1 lines 5 and 7, and claim 2 lines 3 and 6, seems to refer to the multi-layer communication equipment. It is suggested to change to "the communication multi-layer communication equipment."

10/522,057

Art Unit: 2616

The claimed term, "the trouble," of claim 1 lines 8 and 11 is unclear. It is suggested to change to

Page 3

"a trouble."

The claimed term, "downstream," of claim 2 line 5 is unclear. It is suggested to change to

"downstream node."

Claim Rejection - 35 USC § 112

3. The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

4. Claims 1-5 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for

failing to particularly point out and distinctly claim the subject matter which applicant regards as

the invention.

Regarding Claim 1, the claimed term, "the said module," of line 8 has no antecedent basis.

The claims 2-5 are rejected as being dependent of the rejected claim 1.

10/522,057

Art Unit: 2616

Claim Rejection - 35 USC § 103

5. This application currently names joint inventors. In considering patentability of the

claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various

claims was commonly owned at the time any inventions covered therein were made absent any

evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out

the inventor and invention dates of each claim that was not commonly owned at the time a later

invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c)

and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

6. The factual inquiries set forth in Graham v. John Deere Co., 383 U.S. 1, 148 USPQ 459

(1966), that are applied for establishing a background for determining obviousness under 35

U.S.C. 103(a) are summarized as follows:

- 1. Determining the scope and contents of the prior art.
- 2. Ascertaining the differences between the prior art and the claims at issue.
- 3. Resolving the level of ordinary skill in the pertinent art.

4. Considering objective evidence present in the application indicating obviousness or

nonobviousness.

Page 4

10/522,057

Art Unit: 2616

7. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all

obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as

set forth in section 102 of this title, if the differences between the subject matter sought to be

patented and the prior art are such that the subject matter as a whole would have been obvious at

the time the invention was made to a person having ordinary skill in the art to which said subject

matter pertains. Patentability shall not be negatived by the manner in which the invention was

made.

8. Claims 1 are rejected under 35 U.S.C. 103 (a) as being unpatentable over Shiragaki, U.S.

Publication No 20020162045 in view of Background of Chan et al, U.S. Publication No

20010046206.

Regarding Claim 1, Shiragaki discloses that a method for protecting high layer service in the

multi-layer communication equipment, comprising the following process (see Abstract):

First, low layer processing module provides high processing module with low layer

transmission passage (see Figures 1 and 2, [0004-0006] [0164] [0175] i.e. such multi-layer

communication setup is commonly known as IP over SONET/SDH, according to OSI model,

SONET/SDH is at physical layer, which provide physical connection between network nodes, IP

is at the network layer, which provides routing or logical connection; another common multi-

layer setup is ATM over SONET/SDH); Third, after high layer processing module detecting

Page 5

10/522,057

Art Unit: 2616

the said module encountering the trouble, it will inform low layer processing module (see Figure 1 Elements 103 and 104, Figure 3 Elements 204/208, [0025] [0030-0033]); Fourth, a bypass will be set up after low layer processing module detecting high layer processing module encountering the trouble, so as to isolate the high layer processing module encountering the trouble (see Figures 3 and 4, [0180] [0182] [0185-0188] i.e. according to [0186] layer A remains in the failed state since it is not yet able to recover the failure; according [0187] layer B is able to finish up the failure recovery and carry out the main signal after receiving the switch authorization notice; in summary a bypass is set up after layer B detects layer A encountering a failure after receiving notice 204 and 208 to carry out the main signal while layer A remains in a failed state). However, Shiragaki does not disclose that Second, high layer processing module extract and insert high layer service of the said node from low layer transmission passage, avoiding changing the service between upstream node and downstream node after passing high layer processing module of the said node. Chan et al from the same field of endeavor teach that Second, high layer processing module extract and insert high layer service of the said node from low layer transmission passage, avoiding changing the service between upstream node and downstream node after passing high layer processing module of the said node (see [0003] [0006] Line 1-3 [0015] [0017] [0022-0023] i.e. ATM is a connection oriented protocol, which means that a path between the source and destination is set up before data is sent; according to standard OSI operation when such data is sent through the nodes between the source and destination, process of encapsulation and deencapsulation is performed to not only check VP and VC identifiers to decide the next direction of the path but also reinsert the data into the lower layer payload to deliver the data). At the time

10/522,057

Art Unit: 2616

of the invention, it would have been obvious to a person ordinary skill in the art to apply the same protection method from Shiragaki to the common ATM over SONET/SDH multi-layer setup. The rationale would have been that since ATM is a protocol commonly used for real time application, which requires much less delay than IP, it is even more desired to have a multi-layer failure protection mechanism for ATM.

Regarding Claim 2, Chan et al further disclose that a method for protecting high layer service in the multi-layer communication equipment, wherein in the second step, a transparent virtual path connection is set up for the service passing the high layer processing module of the said node, namely for ATM traffic, a cross connection, which changes neither virtual path identification nor virtual channel identification, will be set up, to avoid changing the service between upstream node and downstream after passing high layer processing module of the said node (see [0015-0016] [0018] [0020] [0022-0023] i.e. according to the OSI model, with the process of encapsulation and de-encapsulation and the help of VPI and VCI, the data is sent from a source node to a destination node through different nodes on a connected path in an ATM network). At the time of the invention, it would have been obvious to a person ordinary skill in the art to apply the same protection method from Shiragaki to the common ATM over SONET/SDH multi-layer setup. The rationale would have been that since ATM is a protocol commonly used for real time application, which requires much less delay than IP, it is even more desired to have a multi-layer failure protection mechanism for ATM.

Regarding Claim 3, Shiragaki further discloses that a method for protecting high layer service

in the multi-layer communication equipment, wherein in the third step, when high layer

processing module detects the said module encountering trouble, it will inform low layer

processing module by soft messages or hardware signals (see [0232]).

Regarding Claim 4, Shiragaki further discloses that a method for protecting high layer service

in the multi-layer communication equipment, wherein in the fourth step, said situation that

low layer processing module detect high layer processing module encountering trouble

further comprising: low layer processing module judges whether the service signal

transmitting by high layer processing module is invalid or not, or low layer processing

module detects the hardware signals or soft messages sending by high layer processing

module indicating its invalidation (see Figure 3 Element 208, [0186] i.e. once layer B receives

the notice 208, it knows that the layer A is not yet recovered from the failure).

Regarding Claim 5, Shiragaki further discloses that a method for protecting high layer service

in the multi-layer communication equipment, wherein said bypass connection is actual

connection of the physical lines, or it is logical connection within low layer processing

module (see [0004-0007] i.e. according to OSI model, SONET/SDH is at physical layer).

Conclusion

10/522,057

Art Unit: 2616

9. The prior art made of record and not relied upon is considered pertinent to applicant's

Page 9

disclosure. Referring to the PTO Form 892, references are cited to show similar method and

system of protecting a trouble path in a multi-layer network

10. Examiner's Note: Examiner has cited particular columns and line numbers in the

references applied to the claims above for the convenience of the applicant. Although the

specified citations are representative of the teachings of the art and are applied to specific

limitations within the individual claim, other passages and figures may apply as well. It is

respectfully requested from the applicant in preparing responses, to fully consider the references

in entirety as potentially teaching all or part of the claimed invention, as well as the context of

the passage as taught by the prior art or disclosed by the Examiner.

In the case of amending the claimed invention, Applicant is respectfully requested to indicate the

portion(s) of the specification which dictate(s) the structure relied on for proper interpretation

and also to verify and ascertain the metes and bounds of the claimed invention.

11. Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Wei-po Kao whose telephone number is (571)270-3128. The

examiner can normally be reached on Monday through Friday, 8:30AM to 5:00PM.

10/522,057

Art Unit: 2616

Page 10

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor,

Ricky Ngo can be reached on (571)272-3139. The fax phone number for the organization where

this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application

Information Retrieval (PAIR) system. Status information for published applications may be

obtained from either Private PAIR or Public PAIR. Status information for unpublished

applications is available through Private PAIR only. For more information about the PAIR

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would

like assistance from a USPTO Customer Service Representative or access to the automated

information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

RICKY Q. NGO

SUPERVISORY PATENT EXAMINER